



International Science Group

ISG-KONF.COM

XI

**INTERNATIONAL SCIENTIFIC
AND PRACTICAL CONFERENCE
"INTEGRATION OF SCIENCE AS A MECHANISM OF
EFFECTIVE DEVELOPMENT"**

Helsinki, Finland

November 28 - December 01, 2023

ISBN 979-8-89238-623-4

DOI 10.46299/ISG.2023.2.11

UDC 01.1

The 11th International scientific and practical conference “Integration of science as a mechanism of effective development” (November 28 - December 01, 2023) Helsinki, Finland. International Science Group. 2023. 475 p.

ISBN – 979-8-89238-623-4

DOI – 10.46299/ISG.2023.2.11

EDITORIAL BOARD

<u>Pluzhnik Elena</u>	Professor of the Department of Criminal Law and Criminology Odessa State University of Internal Affairs Candidate of Law, Associate Professor
<u>Liudmyla Polyvana</u>	Department of Accounting and Auditing Kharkiv National Technical University of Agriculture named after Petr Vasilenko, Ukraine
<u>Mushenyk Iryna</u>	Candidate of Economic Sciences, Associate Professor of Mathematical Disciplines, Informatics and Modeling. Podolsk State Agrarian Technical University
<u>Prudka Liudmyla</u>	Odessa State University of Internal Affairs, Associate Professor of Criminology and Psychology Department
<u>Marchenko Dmytro</u>	PhD, Associate Professor, Lecturer, Deputy Dean on Academic Affairs Faculty of Engineering and Energy
<u>Harchenko Roman</u>	Candidate of Technical Sciences, specialty 05.22.20 - operation and repair of vehicles.
<u>Belei Svitlana</u>	Ph.D., Associate Professor, Department of Economics and Security of Enterprise
<u>Lidiya Parashchuk</u>	PhD in specialty 05.17.11 "Technology of refractory non-metallic materials"
<u>Levon Mariia</u>	Candidate of Medical Sciences, Associate Professor, Scientific direction - morphology of the human digestive system
<u>Hubal Halyna Mykolaiivna</u>	Ph.D. in Physical and Mathematical Sciences, Associate Professor

86.	Dudar T., Khvostivskiy M., Uniyat S. ALGORITHMIC AND SOFTWARE PROCESSING OF PCG-SIGNALS FOR DIAGNOSING STENOSIS OF THE AORTIC VALVE OF THE HEART	384
87.	Khrulev A. MATHEMATICAL MODELING OF REED VALVE OPERATION IN ENGINES WITH PERIODIC WORKFLOW	389
88.	Kuatbekova A., Zhalbagaeva K. ESTABLISHMENT OF HUMAN MEDICAL DATA AND FIRST AID INSTRUCTION IN THE DIGITAL BANKING APPLICATION AND ITS ACCESS TO EGOV	396
89.	Sai K., Petlovanyi M., Drahun D. RESOURCE POTENTIAL OF MODERN COAL MINES	398
90.	Vovk O., Biletskyi M. USING DEEP NEURAL NETWORKS TO CREATE MUSIC SEQUENCES BASED ON MIDI FILES	402
91.	Агура І.Д., Резнік Є.К., Манічева Н.В., Шаповалов І.П. КОМП'ЮТЕРНА ДІАГНОСТИКА В БІОМЕДИЧНІЙ ІНЖЕНЕРІЇ	405
92.	Клімов О.П., Ісаков О.В., Мартиненко М.М. МОДИФІКАЦІЇ ТАНКА LEOPARD ТА ЇХ ОСОБЛИВОСТІ	410
93.	Комлева Н.О., Дюдін В.Д. ОНЛАЙН-ПЛАТФОРМА ДЛЯ ОСВОЄННЯ ФІНАНСОВОЇ ГРАМОТНОСТІ	418
94.	Комлева Н.О., Зоценко М.О. ОНЛАЙН-ПЛАТФОРМА ДЛЯ ОРГАНІЗАЦІЇ КУРСІВ ПІДВИЩЕННЯ КВАЛІФІКАЦІЇ	422
95.	Корчак М.М., Лісевич О.В. ОПТИМІЗАЦІЯ ДИСКОВОГО РОБОЧОГО ОРГАНУ ДЛЯ ЯКІСНОГО РОЗРІЗАННЯ ГРУБИХ СТЕБЛОВИХ ЗАЛИШКІВ	425
96.	Литвиненко О.І., Шишацький А.В., Походенко Б.О., Дроздик Є.В., Канішов В.І. МЕТОД ПАРАМЕТРИЧНОЇ ОПТИМІЗАЦІЇ НА ОСНОВІ УДОСКОНАЛЕНОГО АЛГОРИТМУ ЗГРАЇ ВОVKІВ	430

ALGORITHMIC AND SOFTWARE PROCESSING OF PCG-SIGNALS FOR DIAGNOSING STENOSIS OF THE AORTIC VALVE OF THE HEART

Dudar Taras,

Student

Ternopil Ivan Puluj National Technical University

Khvostivskiy Mykola,

Ph.D., Associate Professor

Ternopil Ivan Puluj National Technical University

Uniyat Serhiy,

Postgraduate

Ternopil Ivan Puluj National Technical University

In the field of medical cardiodynamics, non-invasive medico-biological methods are widely used to diagnose aortic valve stenosis, in particular auscultation [1,2], electrocardiography [3,4], echocardiography [5,6,9,11] and phonocardiography [1,7,10,13,14]. Phonocardiography provides a study of the acoustic phenomenon (determining the degree of attenuation and presence of heart tones, the level of intensity, duration and shape of the systolic noise), which is related to the functioning of the aortic valve of the heart. This is achieved by analyzing the registered PCG-signals (Fig. 1-2) in order to determine the parameters of the sound phenomena that are formed during the operation of the heart valves.




Figure 1. PCG-signals (normal)




Figure 2. PCG-signals (aortic stenosis)

Empirical PCG-signals, when considered as non-stationary, contain short-term high- and low-frequency components in their structure. Thus, for their processing it would be useful to use a transformation that would provide different windows for different frequencies (narrow for high frequencies and wide for low frequencies). The wavelet transformation meets these conditions and is the basis of the method of processing PCG-signals using wavelets.

In the core of the wavelet processing of the PCG-signal there is an expression [8]:

$$C(a,b) = \frac{1}{\sqrt{a}} \sum_{t=0}^{t_{\max}} x(t) \psi(t,a,b), \quad (1)$$

where $\psi(t,a,b)$ - a basis (function) that ensures the determination of the effectiveness of the study of fluctuating processes (time variability) of the PCG-signal in relation to time, which is extremely relevant for detecting the moment of time when there is a variation in the functioning of the heart valves.

The process of selecting the basis of wavelets $\psi(t,a,b)$ is determined by the similarity of the shape of the PCG-signal function to the wavelet of the mother function.

The most similar basis to the structure of the PCG-signal from the sign of aortic stenosis is the Gaussian basis. This basis is the simplest and is described by the expression:

$$\psi(t) = (-1)^n \frac{d^n}{dt^n} e^{-\frac{t^2}{2}}, \quad (2)$$

where n – the order of the Gaussian basis.

On the basis of the wavelet processing of the PCG-signal with the Gaussian basis, the algorithm shown in Fig. 3 is implemented.




Figure 3. Wavelet algorithm for PCG-signal processing with a Gaussian basis

In Fig. 4 shows graphical images of realizations of the amplitude wavelet spectra of the PCG-signal depending on the frequency and scale in conditions of medical norm and aortic stenosis. This approach provides a detailed study of fluctuations in both frequency and time dimensions, taking into account the different scales, which provides a procedure for a full-fledged analysis of the PCG-signal in all spaces at the same time.




Figure 4. Amplitude wavelet spectra of the PCG-signal

Amplitude wavelet spectra (Fig. 4) in their dependence on the scale parameter and shift quantitatively reflect the localization processes in the structure of the PCG-signal and its temporal variability. Fig. 4 shows that the structural homogeneity of the wavelet spectra in the Gaussian basis is noted for the states of normality and aortic stenosis, but there is a change in the amplitude values, which indicates variability in the functioning of the heart valves. Aortic stenosis is characterized by an increase in the intensity of spectra and an increase in their density, in contrast to the normal state.

References:

1. Gianelly, R. E., Popp, R. L. and Hultgren, H. N. (1970). Heart sounds in patients with homograft replacement of the mitral valve. *Circulation*, 42, 309.
2. Lim, Eric; Ali, Ziad A; Barlow, Clifford W; Hosseinpour, A Reza; Wisbey, Christopher; Charman, Susan C; Wells, Francis C; Barlow, John B; (2002) Determinants and assessment of regurgitation after mitral valve repair. *The Journal of thoracic and cardiovascular surgery*, 124 (5). pp. 911-917. ISSN 0022-5223 DOI: <https://doi.org/10.1067/mtc.2002.125341>.
3. Baumgartner H, Falk V, Bax JJ, De Bonis M, Hamm C, Holm JP, et al. ESC/EACTS Guidelines for the management of valvular heart disease. *Eur Heart J*. 2017;38(36): 2739–2791. Available from: doi: 10.1093/eurheartj/ehx391.
4. Dal-Bianco JP, Aikawa E, Bischoff J, et al. Myocardial infarction alters adaptation of the tethered mitral valve. *J Am Coll Cardiol*. 2016; 67(3): 275–287. doi:10.1016/j.jacc.2015.10.092.
5. Deferm S, Bertrand PB, Verhaert D, et al. Mitral annular dynamics in AF versus sinus rhythm: Novel insights into the mechanism of AFMR. *JACC Cardiovasc Imaging*. 2021;S1936–878X(21)00440-X. doi:10.1016/j.jcmg.2021.05.019.
6. Gertz ZM, Raina A, Saghy L, et al. Evidence of atrial functional mitral regurgitation due to atrial fibrillation: Reversal with arrhythmia control. *J Am Coll Cardiol*. 2011;58(14):1474–1481. doi:10.1016/j.jacc.2011.06.032.
7. Jun Heum Yon, Song Ook Han, Yun Hee Lim, Kye Min Kim, Youn Suk Lee, Ki Hyuk Hong. (2000). Experience of Phonocardiogram during the Mitral Valve Replacement. *Korean Journal of Anesthesiology*. 39(2):275-277. DOI: <https://doi.org/10.4097/kjae.2000.39.2.275>.
8. Khvostivska L. V., Kazmiriv V. V., Remez A. V. (2022) Veivlet obrobka radiosyhnaliv dlia zadachi yikh vyivlennia na foni zavad [Wavelet processing of radio signals for the problem of their detection against the background of interferences]. XI International scientific and practical conference of young researchers and students „Current issues in modern technologies“ (Tern., 7-8 December 2022), pp. 119-120 [in Ukrainian].
9. Хвостівська Л.В., Осухівська Г.М., Хвостівський М.О., Шадріна Г.М., Дедів І.Ю. Розвиток методів та алгоритмів обчислення періоду стохастичних біомедичних сигналів для медичних комп'ютерно-діагностичних систем». *Вісник НТУУ "КПІ". Серія Радіотехніка, Радіоапаратобудування*, (79). С. 78-84. doi: 10.20535/RADAP.2019.79.78-84.

10. Palaniza Y.B. Shadrina H.M., Khvostivskiy M.O., Dediv L.Ye., Dozorska O.F. Main theoretical basis of biosignals modeling. *Znanstvena misel in Slovenia: journal*. Ljubljana. 2018. №16. Vol.1. pp. 39-44.

11. Дунець В.Л., Хвостівський М.О., Сверстюк А.С., Хвостівська Л.В. Математичне та алгоритмічно-програмне забезпечення опрацювання електрокардіосигналів при фізичному навантаженні у кардіодіагностичних системах: наукова монографія. Львів: Видавництво «Магнолія - 2006», 2022. 136 с.

12. Khvostivska L., Khvostivskiy M., Dediv I., Yatskiv V., Palaniza Y. Method, Algorithm and Computer Tool for Synphase Detection of Radio Signals in Telecommunication Networks with Noises. *Proceedings of the 1st International Workshop on Computer Information Technologies in Industry 4.0 (CITI 2023)*. CEUR Workshop Proceedings. Ternopil, Ukraine, June 14-16, 2023. P.173-180. ISSN 1613-0073.

13. Palaniza Y., Yavorska E., Shadrina H., Dediv L. (2018) Phonocardiosignal as a periodically correlated stochastic process preprocessing algorithm structure grounding. *Scientific Journal of TNTU (Tern.)*, vol. 91, no 3, pp. 143-152.

14. Osukhivska H. M. Matematychna model tonovoho syhnalu dlia diahnostryky stanu klapaniv sertsia liudyny: avtoref. dys. na zdobuttia nauk, stupenia kand. tekhn. nauk: 01.05.02 / H.M. Osukhivska. Ternopil, 1999. 20 p. [in Ukrainian].