

УДК 08
ББК 30.3

ICEROM-10 CONFERENCE ABSTRACTS: зб. тез доповідей X міжнародної конференції ICEROM-10, (Тернопіль, 23-27 травня 2016.) / Національна Академія Наук України, Інститут фізики НАН України, Київський національний університет імені Тараса Шевченка, Тернопільський національний технічний університету імені Івана Пулюя. – Тернопіль: ФОП Паляниця В. А. – 2016. – 209 с.

ISBN 978-617-7331-21-5

With support of

National Academy of Science of Ukraine, Taras Shevchenko National University of Kyiv,
Institute of Physics of NAS of Ukraine, Ternopil Ivan Puluj National Technical University

Sponsored by

OUR SPONSOR:

We wish to thank the following for their contribution to the success of this conference:

Building on two centuries' experience, **Taylor & Francis** has grown rapidly over the last two decades to become a leading international academic publisher.



With offices in London, Brighton, Basingstoke and Abingdon in the UK, New York and Philadelphia in the USA and Singapore and Melbourne in the Pacific Rim, the Taylor & Francis Group publishes more than 1000 journals and around 1,800 new books each year, with a books backlist in excess of 20,000 specialist titles.

Taylor & Francis Group is an Informa business (www.informa.com). Informa plc is the global information provider for the academic, professional and commercial markets.

Taylor & Francis, Inc. Molecular Crystals and Liquid Crystals

Editor-in-Chief: Mortimer M. Labes, Department of Chemistry, Temple University, 1801 North Broad Street, PA 19122 USA

Primarily fundamental in tenor, MCLC publishes original research papers of both an experimental and theoretical nature in three areas of specialization: molecular crystals (spectroscopy, energy, and charge transfer, solid state reactions, photo and radiation effects); films and composites (structure, electronic, magnetic, and optical properties, transport mechanisms); and liquid crystals (electro and magneto-optical phenomena, thermodynamics, phase transitions, structure, NMR and orientation controlled spectroscopy). In all three areas, experimental manuscripts describing both preparation and properties will be considered.

This issue is abstracts book of 10th the Jubilee International Conference on Electronic Processes in Organic and Inorganic Materials (May 23- 27, 2016, Ternopil, Ukraine).

Abstracts cover all field of organic substances physics in particular physical phenomena and processes in organic materials and at their interface with other materials including thin films and structures.

ISBN 978-617-7331-21-5

FORMATION OF POLYTETRAFLUORETHYLENE-BASED STRUCTURES WITH IMPLANTED NANOTUBES AND ITS OPTICAL SPECTRUM

Bogdan Kovalyuk, Yuriy Nikiforov, Vitalii Mocharskyi

*Ternopil Ivan Puluj National Technical University,
56 Ruska St, Ternopil, Ukraine; e-mail: kovalyukdan@ukr.net*

Polytetrafluorethylene (PTFE) films belong to a class of non-polar polymers which are used intensively in electronics, electroacoustics and medicine due to electret properties. In this connection, for the formation of new structures on the basis of such films it is attractive to implant nanomaterials into the matrix, which is a PTFE film up to 100 micron thickness.

In this paper a method of nanotubes implantation with use of Q-switch laser plasma acceleration of particles (see the simplified scheme on figure below) and the results of such implantation of carbon nanotubes on the optical spectrum of PTFE films which served as substrates.




Figure 1. 1 – transparent protective screen, 2 – nanotubes, 3 – PTFE film.

Interaction of laser nanosecond pulse with nanotubes and of the nanotubes with matrix (substrate) in the process of implantation, related to the peculiarities of the proposed implantation method is considered. It is shown that transmission spectrum for structures created by nanotubes implantation into the film depends on its thickness and changes substantively for thicker films. At the same time, the transparency of structures with nanotubes of thickness which had increased by 20 micron as the result of the implantation in the optical wavelength region of 500-780 nm is higher than for thick films without nanotubes. Contrarily, in 780-850 nm region transparence of films without nanotubes is better, in accordance with Beer–Lambert–Bouguer law. On the basis of the optical spectra analysis with taking into account of electron microscopy images of surface and sides before and after the implantation of carbon nanotubes a physical model for interpretation of transparency increase for obtained structures is proposed. The model takes into account the packing of PTFE films macromolecules and their reorientation in the process of implantation, influence of distinct groups of implanted carbon atoms on transparency which is accompanied by decreasing of Fresnel losses of the formed structures.